

EASYGATE ELITE

Elegant design for your building



cominfo[®]
Security First



EasyGate Elite

High aesthetic ergonomic design that is capable of accommodating the unique challenges found in the most demanding market segments.

- 1 wing or 2 wings technology
- Elegant & slim cabinet design
- Customized surface finish and top lid
- Compatible with all Access Control Systems
- Wide range of Optional Accessories
 - Access Light / Edgelight
 - WAV Player
 - Remote control console or sw application
 - Integrated emergency power backup
 - And many others ...





DIMENSIONS

Cabinet height	990 mm (38.98")
Cabinet length	1400 mm (55.12")
Cabinet width	120 mm (4.72")
Barrier height	
standard	990 mm (38.98")
max.	1800 mm (70.87")
Passage width	
standard	650 mm (25.59")
max.	1050 mm (41.34")

STANDARD MATERIAL

Cabinet	brushed stainless steel
Top Lid	black glass
Barriers	10 mm (0.39") tempered glass
Side infill panel	6 mm (0.24") tempered glass

SAFETY & SECURITY DETECTION

18 - 30 pairs of IR sensors
Safety & Security levels
Tailgating/Cross over detection
Crawl under/Climb over detection

Wing Light

illumination of glass barrier

Full glass top lid

as standard

Access Light

with integrated RFID bracket

Various glass wings height

up to 1800 mm to increase security level


Edge Light

lane accessibility signal light

Standard or DDA (ADA)

passage lane

Optical InfraRed Sensors





EasyGate Elite offers alternative surface finishes with wide colour range to suit perfectly into any exclusive interior (stainless steel, black or bronze stainless steel, RAL painted stainless steel, etc.).



To make EasyGate Elite to your ideas, you can choose from optional top lid in different materials such as glass, artificial stone, stainless steel and optional colours too.



COMINFO, a.s., Nabrezi 695, 760 01 Zlín - Prstné, Czech Republic
T +420 603 151 333 ; cominfo@cominfo.cz

www.cominfo.eu

Specifications are subject to change without prior notice.



ed. VIII-2016